

????

- | | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 -

--	--	--	--	--	--	--	--
- | | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 -

--	--	--	--	--	--	--	--
- | | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 -

--	--	--	--	--	--	--	--
- | | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 -

--	--	--	--
- | | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 -

--	--	--	--
- | | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 -

--	--	--	--	--	--

???? - ??????????

????

XXXXXXXXXX

????

POST form-data

????

Key	Type	Value	Comment
service	string		App.Sip_Status.GetSipValidStatus
token	string		XXXXXXXXXX token
extnumber	string		XXXXXXXXXXXX

???????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service'    => 'App.Sip_Status.GetSipValidStatus',
        'token'      => 'ABCDEFGF',
        'extnumber'  => '100001'
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
    $curlError = curl_error($curl);
    curl_close($curl);
    var_dump($response);
?>
```

????????

```
{
  "ret": 200,
  "data": {
    "status": 0,
    "desc": "成功",
    "result": [
      {
        "extnumber": "90170002",
        "code": 1016
      }
    ],
    "reqtime": 1581508401,
    "rsptime": 1581508401
  },
  "msg": ""
}
```

??????

名称	类型	长度
result	array	10000
—extnumber	string	100
—code	int	1000

???? - ?????????

????

XXXXXXXXXX

????

POST form-data

????

service	string		App.Sip_Status.GetSipCallStatus
token	string		token
extnumber	string		

??????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service'    => 'App.Sip_Status.GetSipCallStatus',
        'token'      => 'ABCDEFGH',
        'extnumber'  => '100001'
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
    $curlError = curl_error($curl);
    curl_close($curl);
    var_dump($response);
?>
```

????????

```
{
  "ret": 200,
  "data": {
    "status": 0,
    "desc": "成功",
    "result": [
      {
        "extnumber": "90170002",
        "status": 1014,
        "caller": null,
        "callee": null,
        "disnumber": null,
        "direction": null,
        "channel": null,
        "idleduration": null,
        "callduration": null
      }
    ],
    "reqtime": 1581506689,
    "rsptime": 1581506689
  },
  "msg": ""
}
```

??????

参数	类型	说明
result	array	结果数组
—extnumber	string	扩展号码
—status	int	状态
—caller	string	主叫号码
—callee	string	被叫号码
—disnumber	string	显示号码
—direction	string	方向
—channel	string	通道
—idleduration	int	空闲时长
—callduration	int	通话时长

???? - ?????????

????

XXXXXXXXXX

????

POST form-data

????

service	string		App.Sip_Status.GetSipRegisterStatus
token	string		XXXXXXXX token
extnumber	string		XXXXXXXXXX

???????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service'    => 'App.Sip_Status.GetSipRegisterStatus',
        'token'      => 'ABCDEFGH',
        'extnumber'  => '100001'
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
    $curlError = curl_error($curl);
    curl_close($curl);
    var_dump($response);
?>
```

????????

```
{
  "ret": 200,
  "data": {
    "status": 0,
    "desc": "成功",
    "result": [
      {
        "extnumber": "90170002",
        "code": 1014,
        "clientip": null,
        "serverip": null
      }
    ],
    "reqtime": 1581507361,
    "rsptime": 1581507361
  },
  "msg": ""
}
```

??????

名称	类型	说明
result	array	结果数组
—extnumber	string	扩展号
—code	int	错误码
—clientip	string	客户端IP
—serverip	string	服务器IP

????

????

????

???????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service'    => 'App.Sip_Sipnum.GetSipnumberInfo',
        'token'      => 'ABCDEFGF',
        'status'     => 3,
        'extnumber'  => '100001'
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
```

```
$curlError = curl_error($curl);  
curl_close($curl);  
var_dump($response);  
  
?>
```

????????

```
{  
  "ret": 200,  
  "data": {  
    "status": 0,  
    "desc": "[]",  
    "result": {  
      "totalitems": 5,  
      "currentpage": 1,  
      "itemsperpage": 100,  
      "sipusers": [  
        {  
          "extnumber": "9002004",  
          "password": "CNAA9002004",  
          "username": "9002004",  
          "status": 1016,  
          "manualdial": 1,  
          "record": 1,  
          "register": null,  
          "createtime": "2026-09-08 14:47:02",  
          "updatetime": "2026-09-17 11:43:01",  
          "message": "[]"  
        },  
        {  
          "extnumber": "9002005",  
          "password": "CNAA9002005",  
          "username": "9002005",  
          "status": 1016,  
          "manualdial": 1,  
          "record": 1,  
          "register": null,  
          "createtime": "2026-09-08 14:47:02",  
          "updatetime": "2026-09-17 11:43:01",
```

```
        "message": "*****"
    }

    ]

},
    "reqtime": 1789628957,
    "rsptime": 1789628957
},
    "msg": ""
}
```

??????

???	??	??
result	object	????????
-totalitems	int	????
-currentpage	int	????
-itemsperpage	int	????
-sipusers	array	??????
—extnumber	string	??
—password	string	??????
—status	int	????? 1016???? 1013??
—register	string	???????? nreg???? reg ???
—manualdial	int	???? 1???? 2??
—record	int	???? 1???? 2??

???? - ???????

????

□□□□□□□□

????

POST□ form-data□

????

□□	□□	□□□□	□□
service	string	□	App.Sip_Sipnum.EditSipnu mber
token	string	□	□□□□□□□□ token
extnumber	string	□	□□
password	string	□	□□□□ 8-16 □□□□□□□□□□ □□□□□□□□□□ □
username	string	□	□□□□
status	int	□	□□ 1:□□□ 2:□□
manualdial	int	□	□□□□ 1:□□□ 2:□□
record	int	□	□□□□ 1:□□□ 2:□□

???????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service'    => 'App.Sip_Sipnum.EditSipnumber ',
        'token'      => 'ABCDEFGF',
        'extnumber'  => '100001',
        'password'   => '100001',
        'username'   => '100001',
        'status'     => 1,
        'manualdial' => 1,
        'record'     => 1,
```

```

];
$curl = curl_init();
curl_setopt($curl, CURLOPT_URL, $apiUrl);
curl_setopt($curl, CURLOPT_POST, 1);
curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
$response = curl_exec($curl);
$curlError = curl_error($curl);
curl_close($curl);
var_dump($response);
?>

```

????????

```

{
  "ret": 200,
  "data": {
    "status": 0,
    "desc": "????",
    "result": {},
    "reqtime": 1789631259,
    "rsptime": 1789631259
  },
  "msg": ""
}

```

??????

??	??	??
status	int	0???? 1????
desc	string	????
result	object	??????

???? - ??????

????

XXXXXXXXXX

????

POST form-data

????

service	string		App.Sip_Sipnum.BatchEditP assword
token	string		XXXXXXXX token
extnumber	string		XXXXXXXX X

??????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service'    => 'App.Sip_Sipnum.BatchEditPassword',
        'token'      => 'ABCDEFGF',
        'extnumber'  => '100001',
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
    $curlError = curl_error($curl);
    curl_close($curl);
    var_dump($response);
?>
```

????????

```
{
  "ret": 200,
  "data": {
    "status": 0,
    "desc": " ",
    "result": {
      "updated": 3,
      "sipusers": [
        {
          "extnumber": "9002006",
          "password": "CNAA9002006"
        },
        {
          "extnumber": "9002004",
          "password": "CNAA9002004"
        },
        {
          "extnumber": "9002005",
          "password": "CNAA9002005"
        }
      ]
    },
    "reqtime": 1789631163,
    "rsptime": 1789631163
  },
  "msg": ""
}
```

??????

status	int	0 1
desc	string	
result	object	
-updated	int	
-sipusers	object	
--extnumber	object	

URI	Object	Access
--password	object	URI