??????????

????

- □□□□

????

cURL□

```
curl -X POST 'https://{domain}/hangupSms/task/append-roster' \
  --data-urlencode 'appid=xxx' \
  --data-urlencode 'accesskey=xxx' \
  --data-urlencode 'task_id=123' \
  --data-urlencode 'roster_details=[{"phone":"18012345678","sms_variables":{"name":"□□
","order_no":"202611270001"}}]'
```

PHP□

```
<?php
$url = 'https://{domain}/hangupSms/task/append-roster';

$rosterDetails = [
    [
        'phone' => '18012345678',
        'sms_variables' => [
            'name' => '□□',
            'order_no' => '202611270001',
        ],
    ],
];

$postData = [
    'appid' => 'xxx',
    'accesskey' => 'xxx',
    'task_id' => '123',
    'roster_details' => json_encode($rosterDetails, JSON_UNESCAPED_UNICODE),
];

$ch = curl_init();
curl_setopt_array($ch, [
    CURLOPT_URL => $url,
    CURLOPT_POST => true,
    CURLOPT_POSTFIELDS => http_build_query($postData),
    CURLOPT_RETURNTRANSFER => true,
]);
```

```
$response = curl_exec($ch);
curl_close($ch);

echo $response;
```

????

```
{
    "code": 0,
    "msg": "operation succeeded",
    "data": {
        "task_id": 123,
        "count": 2
    }
}
```

??????

```
{
    "code": 1,
    "msg": "params error",
    "data": []
}
```

??????

□□□	□□	□□
code	int	□□□ 0 □□ □□□□□
msg	string	□□□□
data	object	□□□□
data.task_id	int	□□ ID
data.count	int	□□□□□□□□

????msg

msg	□□
appid or accesskey error	□□□□
auth error	□□□□□□
params error	□□□□
task not found	□□□□□

msg	□□
task status not allowed	□□□□□□□□□
too close to task start time	□□□□□□□□□□ 10□
destnumber does not exceed 5000 numbers	□□□□□□ 5000□
task numbers does not exceed 5000 numbers	□□□□□□□ 5000□
task voicefile not found	□□□□□□□□□
operation failed	□□□□□□

□□□ #4
□ sunny □□□ 27 □□□ 2026 06:43:29
□ sunny □□□ 27 □□□ 2026 06:58:45