

????? - ????????

????

XXXXXXXXXX

????

POST form-data

????

Key	Type	Required	Default
service	string	Yes	App.Sip_Extgroup.GetExtgroupInfo
token	string	Yes	XXXXXXXXXX token
name	string	Yes	XXXXXXXXXX
currentpage	int	Yes	XXXXXX 1
itemsperpage	int	Yes	XXXXXXXXXX 10XXXXXX 1XXXXXX 1000

???????PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service' => 'App.Sip_Extgroup.GetExtgroupInfo',
        'token'    => 'ABCDEFGF',
        'name'     => 'abcdefg',
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
    $curlError = curl_error($curl);
    curl_close($curl);
```

```
var_dump($response);  
?>
```

????????

```
{  
  "ret": 200,  
  "data": {  
    "status": 0,  
    "desc": "成功",  
    "result": {  
      "totalitems": 2,  
      "currentpage": 1,  
      "itemsperpage": 20,  
      "extgroups": [  
        {  
          "id": 226,  
          "name": "kefu03",  
          "status": 1041,  
          "createtime": "2026-09-17 07:45:54",  
          "message": "成功"   
        },  
        {  
          "id": 227,  
          "name": "kefu01",  
          "status": 1041,  
          "createtime": "2026-09-17 09:00:50",  
          "message": "成功"   
        }  
      ]  
    },  
    "reqtime": 1789610690,  
    "rsptime": 1789610690  
  },  
  "msg": ""  
}
```

??????

名称	类型	内容
result	object	成功

属性名	属性型	属性値
-totalitems	int	1000
-currentpage	int	1
-itemsperpage	int	10
-extgroups	array	[{"id": 1, "name": "Group 1", "status": "Active"}, {"id": 2, "name": "Group 2", "status": "Inactive"}]
—id	string	1001 id
—name	string	Group 1
—status	string	Active 1041Inactive 1042

ログ #8

Admin	4	2025-09-25 09:52:00
bobo	17	2026-09-09 09:19