

IVR?? - ??ivr??(????)-v2

????

???? IVR???? 5000??

????

POST? form-data??

????

??	??	???	??
service	string	?	App.Sip_Call.PlayVoiceBatch
token	string	?	????? token
destnumber	string	?	????? “,”??
voicetype	int	?	????? 1: ????? ????? ????? 2:???? (url) ????? ????
voicefile	string	?	voicetype=1 ????? voicetype=2 ????? url??
disnumber	string	?	???? (????? ????? ????
userid	string	?	???? (?? ID)
memberid	string	?	???? (?? ID)
ext	string	?	???? (???? json????)
customuuid	string	?	????? ?????
transfer	int	?	???? agent? 0???? 1 ????? 0???? agent????
agent	string	?	?????

参数	类型	说明	默认值
waittime	int	等待时间	60s (60)
conntime	int	连接时间	60s (60)

PHP?

```
<?php
    $apiUrl = 'http://127.0.0.1:8080';
    $postFields = [
        'service' => 'App.Sip_Call.PlayVoiceBatch',
        'token'    => 'ABCDEFGF',
        'destnumber' => '133134135135',
        'voicetype' => 'abcdefg',
        'voicefile' => 'abcdefg',
        'userid'   => 'abcdefg',
        'disnumber' => 'abcdefg',
        'customuuid' => 'abcdefg',
        'waittime'  => 60,
        'conntime'  => 60,
    ];
    $curl = curl_init();
    curl_setopt($curl, CURLOPT_URL, $apiUrl);
    curl_setopt($curl, CURLOPT_POST, 1);
    curl_setopt($curl, CURLOPT_POSTFIELDS, $postFields);
    curl_setopt($curl, CURLOPT_RETURNTRANSFER, 1);
    $response = curl_exec($curl);
    $curlError = curl_error($curl);
    curl_close($curl);
    var_dump($response);
?>
```

JSON?

```
{
    "ret": 200,
    "data": {
        "status": 0,
        "desc": ""
```

```
    "result": {
      "batch_id": "20260917114314491892",
      "count": 5
    },
    "reqtime": 1789616594,
    "rsptime": 1789616594
  },
  "msg": ""
}
```

??????

名称	类型	说明
code	int	错误码 200 成功
msg	string	错误信息
data	object	返回数据
—desc	string	描述
—reqtime	int	请求时间
—rsptime	int	响应时间

接口 #3

□ bobo 接口	8 次	2026 08:06:28
□ bobo 接口	17 次	2026 03:47:01